

## Ascari 4G

# nam SPORTS



Applications	Soccer, multisports
Fibres	Polyethylene Monofilament/ 19.920/ 14 dtex Winged Diamond shape/ 365 µm thickness/ 13.200/ 6 dtex Diamond shape/ 160 µm thickness/ 6.720/ 8 dtex
Production method	Lineair tufting
Gauge	3/8"
# stitches / rm	ca. 180 / rm
# tufts / m <sup>2</sup>	ca. 18.900 / m <sup>2</sup>
# filaments / m <sup>2</sup>	ca. 529.200 / m <sup>2</sup>
Pile height	ca. 30 mm
Pile weight	ca. 2774 gr / m <sup>2</sup>
Total weight	ca. 4274 gr / m <sup>2</sup>
Tuft cloth	Polypropylene, enforced, ca. 300 gr / m <sup>2</sup>
Backing	Latex, ca. 1200 gr / m <sup>2</sup>
Infill	ca. 15 kg/m <sup>2</sup> sand
Roll width	400 cm
Colour	Green
Colour fastness	Scale 7 (DIN 54004)
UV-stability	> 5.000 hours UV-A
Water permeability	6.10-4 m/sec

Namsports reserves the right to amend technical specifications on the above mentioned product.  
Delivered products can slightly differ from these technical data.  
Namsports guarantees the technical quality of the proposed article.