


Ascari 5G



namSPORTS

Applications	Soccer, multisports	
Fibres	Yarn 1 (supporting yarn) Polyethylene Multidirectional structured monofilament/ 160 µm thickness/ 7.000 dtex F8	Yarn 2 (lawn) Polyethylene Lineair, spiral shape monofilamenten S profile heliflex/ 300 µm thickness/ 12.000 dtex F6
Production method	Lineair tufting	Lineair tufting
Gauge	3/16"	3/8"
# stitches / rm	250 / rm	120 / rm
# tufts / m²	52.500 / m²	12.600 / m²
# filaments / m²	840.000 / m²	151.200 / m²
Low weight	2.050 gr / m²	1.100 gr / m²
Pile height	35 mm	
Pile weight	3150 gr / m²	
Total weight	4150 gr / m²	
Tuft cloth	Polypropylene, UV-stabilised, enforced, 300 gr / m²	
Backing	PE, ca. 700 gr / m²	
Infill	Not required. Sand is optional	
Roll width	400 cm	
Colour	Green	
Colour fastness	Scale 7 (DIN 54004)	
UV-stability	> 3.000 hours UV-A	
Water permeability	6.10-4 m/sec	

Namsports reserves the right to amend technical specifications on the above mentioned product.
Delivered products can slightly differ from these technical data.
Namsports guarantees the technical quality of the proposed article.