


Coplay**nam SPORTS**

Applications	Multisports
Fibres	100% Polyethylene/ UV-stabilized/ Fibrilated
Production method	Tufting
Gauge	3/16"
# stitches / rm	ca. 225 / rm
# tufts / m ²	ca. 47.250 / m ²
Pile height	ca. 11,5 mm
Pile weight	ca. 1047 gr / m ²
Total weight	ca. 2017 gr / m ²
Tuft cloth	Polypropylene, ca. 170 gr / m ²
Backing	Latex, ca. 800 gr / m ²
Infill	ca. 7 kg / m ² sand
Roll width	400 cm
Colour	Blue/ Yellow/ Green/ Red/ Terracotta/ Magenta
Colour fastness	Scale 7 (DIN 54004)
UV-stability	> 3.000 hours UV-A
Water permeability	6.10-4 m/sec

Namsports reserves the right to amend technical specifications on the above mentioned product.
Delivered products can slightly differ from these technical data.
Namsports guarantees the technical quality of the proposed article.