

Play



nam SPORTS

Applications	Multisports
Fibres	100% Polyethylene/ UV-stabilized/ KDK
Production method	Tufting
Gauge	3/16"
# stitches / rm	ca. 280 / rm
# tufts / m ²	ca. 58.800 / m ²
# filaments / m ²	ca. 117.600 / m ²
Pile height	ca. 14 mm
Pile weight	ca. 1393 gr / m ²
Total weight	ca. 2463 gr / m ²
Tuft cloth	Polypropylene, ca. 170 gr / m ²
Backing	Latex, ca. 900 gr / m ²
Infill	Depends on application
Roll width	400 cm
Colour	Green
Colour fastness	Scale 7 (DIN 54004)
UV-stability	> 3.000 hours UV-A
Water permeability	6.10-4 m/sec

Namsports reserves the right to amend technical specifications on the above mentioned product.
Delivered products can slightly differ from these technical data.
Namsports guarantees the technical quality of the proposed article.